



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
1250 W Alder St • Union Gap, WA 98903-0009 • (509) 575-2490

September 16, 2015

Kirk and Rochelle Schueler
144 NW Vicksburg Ave.
Bend, OR 97701-1229

Re: Surface Water Change Authorization No. CS4-MVID@119(D)

Dear Mr. and Mrs. Schueler:

Thank you for submitting your *Construction Notices* reporting you have both begun and completed construction of your water system.

Unfortunately, according to what was reported on the *Proof of Appropriation of Water* form and according to the conditions of the Change Authorization, we are unable to accept the *Proof of Appropriation of Water* form that you also submitted, reporting that you have put the water to full beneficial use. The form you submitted must reflect actual water use, not to exceed the limits of your Change Authorization and a meter must be installed prior to the submittal of the form.

To that end and in your response to your extension request dated May 26, 2015, the development schedule for the above-referenced water right has been extended as follows:

Proof of Appropriation: June 1, 2016

Basis of extension approval:

- The permit holder requires more time to collect water-use data for the purpose of quantifying beneficial use of water.

Please mail in the enclosed *Proof of Appropriation* form by the deadline. If you have any questions, please contact the Help Desk (509) 454-7297.

YOUR RIGHT TO APPEAL

You have a right to appeal this Decision to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Decision. The appeal process is governed by chapter 43.21B RCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do all of the following within 30 days of the date of receipt of this Decision:

- File your appeal and a copy of this Decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.



- Serve a copy of your appeal and this Decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in chapter 43.21B RCW and chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION	
Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503 Pollution Control Hearings Board 1111 Israel Road SW, Suite 301 Tumwater WA 98501	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608 Pollution Control Hearings Board PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>
To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>

Signed at Yakima, Washington, this 16th day of September, 2015.

Danielle Squerochs

Danielle Squerochs for Sage Park
Sage Park, Section Manager
Water Resources Program/CRO

SP:CLG:SS/150725
WR ID# 4285673

Enclosures: Your Right to Be Heard
Proof of Appropriation Form (copy returned)
Form 1: Measuring Device Information
Form 2: Pressurized Flow & Open Channel

By certified mail: 7010 0290 0000 7126 6340